

ritter
QUALITY SINCE 1905



**Kitchen
Appliances**

ritter. Makes
more out of food.



Good food deserves good preparation and appreciation, because only then can fresh ingredients be enjoyed to the fullest. The finest tea can only develop its full flavor when it is brewed perfectly. The best steak is only a pleasure if it is cooked to perfection. The best ham only tastes good when it is finely sliced. Powerful, German precision in preparation turns food into joy. It doesn't have to be more, it doesn't have to be complicated, it just has to be perfectly prepared. Precise deli slicers and kitchen appliances with timeless aesthetics make you the sovereign master of enjoyment in the place that is most important to you: your home. And our customer service ensures that the precision of your ritter appliance is maintained even after many years.

ritter. Makes more out of food.

It doesn't have to be more,
it doesn't have to be
complicated, it just has to
be perfectly prepared.

Mastering preparation

Whether blending, pureeing or finely chopping: ritter enables you to prepare food to perfection and makes you the master of flavour.

Enjoy fresh

Fresh tastes better and processing fresh food is more sustainable. Since 1905, ritter kitchen appliances have been ensuring that only what is consumed is prepared, combining delightful freshness with sustainability.

German precision

German precision is at the heart of every ritter kitchen appliance: everything is carefully designed in Germany and manufactured to German standards. This ensures precise cutting, water boiling to the exact degree and accurate installation.

Timeless aesthetics

Committed to the legacy of the Bauhaus style, ritter appliances have a timeless aesthetic that fits seamlessly into any kitchen - without relying on short-lived design trends, leaving room for your individual style.



Deli slicer

ritter. Makes more out of food. The semi-professional slicers from ritterwerk represent the pinnacle of precision and quality. Developed for the home kitchen as well as for the discerning hobby chef, these slicers are the epitome of perfection - the perfect combination of form and function for which ritterwerk is renowned.

Ideal for culinary enthusiasts, the high-quality deli slicers from ritterwerk set a new standard in kitchen equipment, combining ritterwerk's heritage of quality with the demands of professional appliances.




Cut by cut to perfection.

Good food deserves good preparation and appreciation, because only then can fresh ingredients be enjoyed to the fullest. Powerful, German precision in preparation turns food into an indulgence. **It doesn't have to be more, it doesn't have to be complicated, it just has to be perfectly prepared.** The precise tondo¹³ deli slicer with its timeless aesthetics will make you a master of enjoyment!

Made from high-quality materials, the deli slicer is durable, robust and optimised for intensive use in a semi-professional environment. It is a pleasure to use, thanks to the powerful capacitor motor, which delivers enormous power and works extremely quietly. It is also equipped with a high-quality, extremely sharp and smooth circular blade that ensures evenly thin and precise slicing results - ideal for all foods that taste best when cut into wafer-thin slices. True to the Bauhaus style, this food slicer has a sleek, modern design that will enhance any sophisticated home environment.

The deli slicer from
ritter makes you
a master of taste.



Unique motor head





Fine adjustment of cutting thickness

Deli slicer tondo¹³

- full metal construction, inclined
- silver metallic
- unique motor head
- circular blade cover
- smooth ham- and sausage circular blade, 19 cm ø
- slice thickness adjustable up to approx. 22 mm
- safety switch
- easy-going metal carriage – broad-surfaced and detachable
- carriage way approx. 25.5 cm



reddot winner 2025
kitchen appliances design



Capacitor motor, 230 – 240 V, 170 W, duty cycle 10 min, TÜV-Rheinland/GS, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 57000 6	570.000	1 / 16	32.5 x 26.5 x 41.0	6.5 kg

Subject to change without notice.

Kitchen appliances & food slicers

selected design




Hand blender **opus⁷**
Page 10/11



Kettle **fontana⁵**
Page 12/13



Toaster **volcano⁵**
Page 14/15



Toaster **volcano³**
Page 16/17



Electrical food slicer
icaro⁷
Page 18/19



Electrical food slicer
icaro⁵
Page 20/21




Hand-operated food slicer
amano⁵
Page 22/23



Cordless hand blender opus⁷

- cordless, battery-operated hand blender
- battery always charged thanks to intelligent charging station
- full metal construction
- LED battery level indicator
- three speed settings
- two-finger switch-on safety system
- automatic safety shut-off in case of overloading or overheating
- four stainless steel attachments:
 - universal cutter: used to blend most foods
 - cutting blade: suited for the cutting of meat and fibrous fruits and vegetables
 - whipping disk: used to whip creamy or fluffy foods
 - stirring disk: suited to stir foods with a thick, creamy consistency
- blending cup made of plastic



plug-in power supply unit for charging station: input voltage: 100 - 240 V, lithium-ion-battery: 7.4, Vdc; 2.2 Ah, TÜV-Rheinland/GS, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 92800 5	928.000	1 / 63

Hand blender incl. charging station:

(WxHxD) in cm	Weight
15.0 x 44.0 x 15.5	1.7 kg

Hand blender:

(WxHxD) in cm	Weight
6.0 x 42.0 x 7.0	1.0 kg

Subject to change without notice.



Kettle fontana⁵

- cordless kettle with 360° rotating base
- heat-resistant acrylic housing
- double-sided water level indicator
- safety lid with lock mechanism
- removable lime-scale filter
- covered heating element with stainless steel protector plate
- cord storage in the base with two cord exits
- four rubber feet to prevent slipping
- 70°, 80°, 95° and 100°C temperature settings with LED indicator
- overheating protection with automatic switch-off when the set temperature is reached
- boil-dry protection with automatic switch-off when kettle is empty
- automatic switch-off when kettle is removed from base
- 1.1 l capacity



reddot design award
winner 2013



220 – 240 V, 2.400 – 2.800 W, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	colour	(WxHxD) in cm	Weight
40 04822 63500 2	635.000	2 / 64	black	22.0 x 24.5 x 15.0	1.3 kg
40 04822 63501 9	635.001	2 / 64	white		
40 04822 63502 6	635.002	2 / 64	red		

Subject to change without notice.



ritter
QUALITY SINCE 1905

Toaster volcano⁵

- elongated slot toaster for 2 slices of toast
- thermal insulated housing with glass panels
- integrated bread and roll rack
- memory function of the toasting degree
- toasting degree with LED indication
- automatic toast food centering
- defrosting function
- reheating function
- automatic switch-off function when toast is jammed
- separate stop button to interrupt toasting
- crumb tray



220 – 240 V, 850 – 1.000 W, TÜV-Rheinland/GS, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	colour	(WxHxD) in cm	Weight
40 04822 63000 7	630.000	2 / 72	black	38.5 x 20.0 x 9.0	3.0 kg
40 04822 63001 4	630.001	2 / 72	white		
40 04822 63002 1	630.002	2 / 72	red		

Subject to change without notice.



ritter
QUALITY SINCE 1905

Toaster volcano³

- elongated slot toaster for two slices of toast
- thermal insulated housing with aluminum panels
- integrated bread and roll rack
- memory function of the toasting degree
- toasting degree with LED indication
- automatic toast food centering
- defrosting function
- reheating function
- automatic switch-off function when toast is jammed
- separate stop button to interrupt toasting
- crumb tray



220 – 240 V, 850 – 1.000 W, TÜV-Rheinland/GS, protection class 1, CE


GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 63010 6	630.010	2 / 72	38.5 x 20.0 x 9.0	2.7 kg

Subject to change without notice.



Electrical food slicer icaro⁷

- full metal construction
- silver metallic
- foldable supply table
- serrated circular blade, 17 cm Ø
- slice thickness adjustable up to approx. 14 mm
- two-finger switch-on safety system
- switch for intermittent and continuous operation
- divisible carriage for space-saving storage when slicer is folded
- carriage way approx. 20 cm
- food tray
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 52100 8	521.000	2 / 72

(WxHxD) in cm
24.0 (folded 10.0) x 20.0 x 34.0

Weight
3.6 kg

Subject to change without notice.



Electrical food slicer icaro⁵

- metal construction
- foldable supply table
- serrated circular blade, 17 cm Ø
- slice thickness adjustable up to approx. 14 mm
- safety switch for intermittent and continuous operation
- divisible carriage for space-saving storage when slicer is folded
- carriage way approx. 20 cm
- food tray
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet	colour	(WxHxD) in cm	Weight
40 04822 52103 9	521.003	2 / 72	silver metallic	24.0 (folded 10.0) x 20.0 x 34.0	3.4 kg
40 04822 52134 3	521.034	2 / 72	black		

Subject to change without notice.



Hand-operated food slicer amano⁵

- manually operated
- food sliced from left to right
- full metal construction
- silver metallic
- serrated circular blade, 17 cm ø
- slice thickness adjustable up to approx. 20 mm
- detachable carriage made of stainless steel
- carriage way approx. 20 cm
- smooth metal crank with a beech wood handle
- stainless steel bracket to guide the food slices
- bamboo board collects the food slices and, at the same time, serves as a cutting board
- four high-quality suction feet for a non-slip and solid footing



TÜV-Rheinland/GS

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 10701 1	107.001	2 / 32	34.5 x 25.5 x 37.0	4.3 kg incl. bamboo board

Subject to change without notice.

Electrical **food slicers**

premium

comfort

economy

Hand-operated **appliances**



serano⁸
Page 26/27



serano⁷
Page 28/29



serano⁵
Page 30/31



sono⁵
Page 32/33



solida⁴
Page 34/35



sono²
Page 36/37



E 18
Page 38/39



E 16
Page 40/41



sono¹
Page 42/43



compact⁷
Page 44/45



markant⁷
Page 46/47



manus³
Page 48/49



peeler
Page 50/51



Electrical food slicer serano⁸

- full metal construction, inclined
- silver metallic
- serrated circular blade, 17 cm ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- safety switch for intermittent and continuous operation
- vario electronic rpm adjustment
- easy-going, broad-surfaced detachable carriage with metal tray
- carriage way approx. 24 cm
- bamboo board collects the sliced food and, at the same time, serves as a cutting board
- cable compartment



DC motor, 230 V, 130 W, duty cycle 10 min, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 55360 3	553.060	2 / 48	29.0 x 24.5 x 37.0	5.0 kg incl. bamboo board

Subject to change without notice.



Electrical food slicer serano⁷

- full metal construction, inclined
- silver metallic
- serrated circular blade, 17 cm ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- safety switch for intermittent and continuous operation
- vario electronic rpm adjustment
- easy-going metal carriage – broad-surfaced and detachable
- carriage way approx. 24 cm
- food tray
- cable compartment



DC motor, 230 V, 130 W, duty cycle 10 min, VDE/GS, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 55350 4	553.050	2 / 48	29.0 x 24.5 x 37.0	4.8 kg

Subject to change without notice.



Electrical food slicer serano⁵

- full metal construction, inclined
- silver metallic
- serrated circular blade, 17 cm ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- safety switch for intermittent and continuous operation
- easy-going metal carriage – broad-surfaced and detachable
- carriage way approx. 24 cm
- food tray
- cable compartment



DC motor, 230 V, 130 W, duty cycle 10 min, VDE/GS, protection class 1, CE

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 55345 0	553.045	2 / 36	29.0 x 24.5 x 37.0	4.9 kg

Subject to change without notice.



Electrical food slicer sono⁵

- full metal construction, suspended
- silver metallic
- bottom panel made of shatterproof glass
- serrated circular blade, 17 cm Ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- safety switch for intermittent and continuous operation
- broad-surfaced, detachable carriage
- carriage way approx. 24 cm
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 55700 7	557.000	1 / 30

(WxHxD) in cm
27.0 x 26.0 x 38.0

Weight
5.9 kg

Subject to change without notice.



Electrical food slicer solida⁴

- full metal construction, inclined
- silver metallic
- serrated circular blade, 17 cm ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- safety switch for intermittent and continuous operation
- easy-going, broad-surfaced detachable carriage with metal tray
- carriage way approx. 24 cm
- food tray
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 55470 9	554.070	2 / 48

(WxHxD) in cm	Weight
25.5 x 25.0 x 37.5	3.7 kg

Subject to change without notice.



Electrical food slicer sono²

- metal construction, suspended
- bottom panel made of shatterproof glass
- serrated circular blade, 17 cm ø
- slice thickness adjustable up to approx. 20 mm
- safety switch for intermittent and continuous operation
- detachable carriage
- carriage way approx. 18 cm
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet	colour	(WxHxD) in cm	Weight
40 04822 52840 3	528.040	2 / 36	silver metallic	20.5 x 24.0 x 34.5	4.5 kg
40 04822 52841 0	528.041	2 / 36	black		

Subject to change without notice.



Electrical food slicer E 18

- food sliced from left to right
- metal construction
- silver metallic
- serrated circular blade, 17 cm Ø
- slice thickness adjustable up to approx. 14 mm
- safety switch for intermittent and continuous operation
- detachable carriage
- carriage way approx. 15 cm
- food tray
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 50807 8	508.007	4 / 60


(WxHxD) in cm	Weight
20.5 x 21.0 x 33.0	3.0kg

Subject to change without notice.



Electrical food slicer E 16

- metal construction, inclined
- serrated circular blade, 17 cm Ø
- slice thickness adjustable up to approx. 20 mm
- safety switch for intermittent and continuous operation
- detachable carriage
- carriage way approx. 18 cm
- food tray
- cable compartment



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE



GTIN-Code	item no.	PU / pcs. per pallet	colour	(WxHxD) in cm	Weight
40 04822 51500 7	515.000	4 / 48	silver metallic	22.5 x 23.0 x 33.5	3.0 kg
40 04822 51545 8	515.045	4 / 48	black		

Subject to change without notice.



Electrical food slicer sono¹

- metal construction, suspended
- silver metallic
- bottom panel made of shatterproof glass
- serrated circular blade, 17cm ø
- slice thickness adjustable up to approx. 20 mm
- safety switch for intermittent and continuous operation
- detachable carriage
- carriage way approx. 18 cm



230 V, 65 W, duty cycle 5 min, VDE/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet
40 04822 52300 2	523.000	2 / 40

(WxHxD) in cm
22.0 x 26.5 x 34.5


Weight
4.3 kg

Subject to change without notice.



Electrical food slicer compact⁷

- metal construction
- silver metallic
- serrated circular blade, 17 cm Ø
- circular blade cover
- slice thickness adjustable up to approx. 23 mm
- two-finger switch-on safety system
- switch for intermittent and continuous operation
- detachable carriage
- carriage way approx. 18 cm
- food tray
- cable compartment



DC motor, 220 - 240 V, 65 W, duty cycle 5 min, TÜV-Süd/GS, protection class 2, CE


GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 91800 6	918.000	2 / 40	20.0 x 23.0 x 33.0	2.5 kg

Subject to change without notice.



Electrical food slicer markant⁷

- high-quality plastic
- white
- foldable supply table
- serrated circular blade, 17 cm Ø
- circular blade cover
- slice thickness adjustable up to approx. 15 mm
- two-finger switch-on safety system
- detachable and divisible carriage for space-saving storage when slicer is folded
- carriage way approx. 20 cm
- cable compartment



220 - 240 V, 65 W, duty cycle 5 min, TÜV-Süd/GS, protection class 2, CE

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 90100 8	901.000	4 / 96	26.5 (folded 10.5) x 21.0 x 34.0	1.9 kg

Subject to change without notice.




Hand-operated food slicer manus³

- manually operated
- food sliced from left to right
- full metal construction
- silver metallic
- serrated circular blade, 17 cm ø
- slice thickness adjustable up to approx. 20 mm
- detachable carriage made of stainless steel
- carriage way approx. 20 cm
- smooth crank made from metal with a plastic handle
- stainless steel guide bracket for the food to be sliced
- feet made of steel
- four high-quality suction feet for a non-slip and solid footing



reddot winner 2021



TÜV-Rheinland/GS

GTIN-Code	item no.	PU / pcs. per pallet	(WxHxD) in cm	Weight
40 04822 10700 4	107.000	2 / 32	36.5 x 25.0 x 33.5	3.3 kg

Subject to change without notice.



ritter peeler

- optimal for both, right and left-handed operation
- special stainless steel mobile blade
- handle made of plastic with eye remover (for finish cleaning of potatoes)
- colour: white



GTIN-Code	item no.	PU / pcs. per pallet	(WxH) in cm	Weight
40 04822 20325 6	203.025	40	6.5 x 11.0	11 g

Subject to change without notice.

Accessories hand blender

Hand blender attachments

Various foods can be chopped, blended, whipped, and mixed with the hand blender. ritter offers a variety of attachments, depending on the desired outcome and food consistency.

Universal cutter

This universal blade is suitable for chopping and blending most foods.



Cutting blade

The cutting blade is especially suitable for cutting of meat and fibrous fruits and vegetables such as asparagus, spinach or pineapple.



Whipping disk

The whipping disk is used to whip creamy or fluffy foods such as cream or egg whites.



Stirring disk

The stirring disk is suitable for stirring foods with a thick, creamy consistency such as mayonnaise, sauces or mashes.



Blending cup made of plastic

Thanks to its tall, narrow shape, the blending cup is perfect for food processing with the cordless hand blender by ritter. The filling capacity is 600 ml.



Subject to change without notice.

For accessories and spare parts please see: www.ritterwerk.de


Accessories food slicer

Circular blades for the food slicers

The slicing outcome is greatly dependent on the circular blade's polish, shape, and quality. As a result, ritter offers a variety of circular blades with different slicing capabilities for precise slicing. The serrated circular blade is ideal for all types of slicing. The smooth ham and sausage circular blade, in particular, slices soft foods into evenly thin slices.


Stainless steel circular blade

The standard circular blade is suitable for everyday use. The stainless steel circular blade is available serrated or as a smooth blade for hams and sausages.



Stainless steel circular blade with an electropolished surface

The stainless steel circular blade is electrolytically polished by a special procedure, resulting in an extremely smooth surface and even slicing edge. As a result, the circular blade may be cleaned more easily and the slicing results become even more accurate. Furthermore, the round blade features on an elegant, high polish look. The electropolished circular blade is available as serrated or as a smooth circular blade for ham and sausage.



Original ritter maintenance grease

The original ritter maintenance grease is suitable for all ritter food slicers. We recommend occasionally regreasing the gear wheels on the circular blade and the guiding of the slicing carriage.



Subject to change without notice.

For accessories and spare parts please see: www.ritterwerk.de



ritter
QUALITY SINCE 1905

Makes more out of food.

Our recipes feature a variety of delicious and healthy dishes, all full of fresh ingredients and fine spices. We have everything from creamy smoothies and sophisticated dips to velvety soups, fine sauces, tempting desserts and hearty, varied dishes.

Best of all, all of our recipes are quick and easy to prepare with our ritter kitchen appliances.

www.ritterwerk.de/recipes